PRODUCT CATALOG



BOLLARDSUSA

A DIVISION OF JR HOE



About Us

At BollardsUSA, a division of J.R. Hoe, we supply American-made architectural bollards that are manufactured using recycled content.

BollardsUSA has emerged as an American-made option in a largely foreign-sourced market. Offering industry-leading customization in addition to a strong inventory of standard cast iron and stainless/powder-coated steel, our brand is trusted by municipal and corporate entities across the U.S. to supply high-quality decorative bollards.

Our Roots

Our roots stretch back to 1909 when J.R. Hoe left his position as foreman of a Pittsburgh steel mill, traveled by train to Middlesboro, KY, and took over operations of a local foundry named Pioneer Iron Works.

J.R.'s five sons — each skilled in the metalworking trades — followed him to Kentucky and J.R. Hoe and Sons was born. After primarily serving the flourishing coal mining industry for several decades, J.R. Hoe has diversified over time into a broad range of industrial, infrastructure, and architectural products using its rare combination of iron casting, steel fabrication, and in-house machining capabilities.

Our Focus

As a fifth-generation family-owned company, we have earned a reputation for our exceptional products and service. BollardsUSA's rapid production times and made-to-order capabilities assist our customers with their varied traffic, pedestrian, and city planning complexities.

BOLLARDSUSA
A DIVISION OF JR HOE

Contents

4 **Our Difference**

5 **Products**

6 **Classic**
A timeless, versatile selection with permanent and removable install options.

9 **Promenade**
Smaller and stylish – perfect for pedestrian-centric spaces.

12 **Broadway**
Clean and lean, a popular choice with permanent and removable install options.

14 **Momentum**
A small footprint and an opportunity for a one-of-a-kind bike parking option.

16 **Velocity**
A striking design statement that provides functional bicycle parking.

19 **Township**
Lightweight and sleek – Ideal for creating flexible outdoor spaces.

20 **Sentry**
A high-concept design ready to elevate its surrounding environment.

21 **Derby**
Stainless steel – extremely durable finish fit for contemporary designs.

22 **Bastion**
Finished coated steel – creating a clean, versatile aesthetic.







THE **BOLLARDS**USA DIFFERENCE

As one of the only U.S.-based manufacturers of decorative and protective bollards, BollardsUSA offers what others cannot:

- **American-made**
  BollardsUSA products are 100% made in the USA from start to finish. Our bollards are fabricated using the highest-quality cast iron and recycled steel and produced under domestic manufacturing regulations.
- **Single-source advantage**
  At BollardsUSA we have casting, fabrication, and machining capabilities all on-site at our foundry. This cuts out the middleman and allows our team to have full control of the production cycle.
- **Rapid turnaround**
  With BollardsUSA products, shipping and lead times have stability inherent with domestic products. Manufactured and transported directly from our foundry in Middlesboro, Kentucky, we can offer faster delivery than other leading brands.
- **Design, color, and customization options**
  If standard bollard options don't fit your project just right, BollardsUSA can help. Many of our product lines offer customizability including logo stamping, powder coating color and a mount to satisfy any specification.
- **Full-circle customer service**
  When you purchase BollardsUSA products, our team stays in contact with you from order placement through production until the bollards are in the ground.
- **Patented removable Twist and Lock™ design**
  BollardsUSA's patented Twist & Lock system makes removable bollard installation simple while providing built-in, anti-theft protection.
- **Crash-Rated**
  Crash ratings are sometimes required for streetscape projects, and BollardsUSA has you covered with Guardian bollards that are designed and manufactured to meet strict performance criteria.



Products

We offer a wide range of bollard styles to meet both the functional needs and design goals of your project. Choose from our standard models or customizable options, available in stationary or removable installations—so you can match the performance you need with the look you want.




Classic

The ever-popular cast iron Classic bollard collection works well for both traditional and contemporary designed spaces, measuring 6" in diameter. Logo customization and removable installation options are available.

- **Manufactured by J.R. Hoe in Middlesboro, Kentucky from ASTM A48 Class 30 Cast Iron.**
- **Powder-coated finish offered in 25 standard color options.**
- **Powder-coated chain and eyebolt attachment available.**
- **Typical applications: urban pedestrian delineation, municipal city centers, areas needing limited access, corporate office buildings, and more.**

4 Bollard Installation Methods Available:



Iron Base Mount

Pipe Mount

Surface Mount

Removable Twist & Lock Mount



150-GS

Specification	Value
Top	Globe
OD (neck)	6"
OD (base)	10.5"
Height	35.5"
Sleeve weight	104.7 Lbs
Center	Plain
Base	Stepped



150-GSF

Specification	Value
Top	Globe
OD (neck)	6"
OD (base)	10.5"
Height	35.5"
Sleeve weight	111.2 Lbs
Center	Fluted
Base	Stepped



150-GT

Specification	Value
Top	Globe
OD (neck)	6"
OD (base)	10.5"
Height	35.5"
Sleeve weight	104.2 Lbs
Center	Plain
Base	Tapered



150-GTF

Specification	Value
Top	Globe
OD (neck)	6"
OD (base)	10.5"
Height	35.5"
Sleeve weight	110.4 Lbs
Center	Fluted
Base	Tapered



150-QS

Specification	Value
Top	Queen
OD (neck)	6"
OD (base)	10.5"
Height	35"
Sleeve weight	107 Lbs
Center	Plain
Base	Stepped



150-QSF

Specification	Value
Top	Queen
OD (neck)	6"
OD (base)	10.5"
Height	35"
Sleeve weight	114 Lbs
Center	Fluted
Base	Stepped

Classic



150-QT

Specification	Value
Top	Queen
OD (neck)	6"
OD (base)	10.5"
Height	35"
Sleeve weight	106.5 Lbs
Center	Plain
Base	Tapered



150-QTF

Specification	Value
Top	Queen
OD (neck)	6"
OD (base)	10.5"
Height	35"
Sleeve weight	113 Lbs
Center	Fluted
Base	Tapered



150-RS

Specification	Value
Top	Flat
OD (neck)	6"
OD (base)	10.5"
Height	31"
Sleeve weight	96 Lbs
Center	Plain
Base	Stepped



150-RSF

Specification	Value
Top	Flat
OD (neck)	6"
OD (base)	10.5"
Height	31"
Sleeve weight	104.5 Lbs
Center	Fluted
Base	Stepped



150-RT

Specification	Value
Top	Flat
OD (neck)	6"
OD (base)	10.5"
Height	31"
Sleeve weight	97 Lbs
Center	Plain
Base	Stepped



150-RTF

Specification	Value
Top	Flat
OD (neck)	6"
OD (base)	10.5"
Height	31"
Sleeve weight	103.5 Lbs
Center	Fluted
Base	Stepped





Promenade


The cast iron Promenade bollards offer a small footprint with stylish aesthetics, perfect for a pedestrian-only area and measuring 4" in diameter. Logo customization and multiple fixed installation options are available.

- **Manufactured by J.R. Hoe in Middlesboro, Kentucky from ASTM A48 Class 30 Cast Iron.**
- **Powder-coated finish offered in 25 standard color options.**
- **Powder-coated chain and eyebolt attachment available.**
- **Typical applications: playgrounds, parks, outdoor retail, residential development, healthcare facilities, and more.**

3 Bollard Installation Methods Available:


Iron Base Mount


Pipe Mount


Surface Mount

Promenade



100-GS

Specification	Value
Top	Globe
OD (neck)	4"
OD (base)	8.5"
Height	30.5"
Sleeve weight	69.5 Lbs
Center	Plain
Base	Stepped



100-GSF

Specification	Value
Top	Globe
OD (neck)	4"
OD (base)	8.5"
Height	30.5"
Sleeve weight	69.5 Lbs
Center	Fluted
Base	Stepped



100-GT

Specification	Value
Top	Globe
OD (neck)	4"
OD (base)	8"
Height	30.5"
Sleeve weight	69.5 Lbs
Center	Plain
Base	Tapered



100-GTF

Specification	Value
Top	Globe
OD (neck)	4"
OD (base)	8"
Height	30.5"
Sleeve weight	69.5 Lbs
Center	Fluted
Base	Tapered



100-QS

Specification	Value
Top	Queen
OD (neck)	4"
OD (base)	8.5"
Height	30"
Sleeve weight	71.9 Lbs
Center	Plain
Base	Stepped



100-QSF

Specification	Value
Top	Queen
OD (neck)	4"
OD (base)	8.5"
Height	30"
Sleeve weight	71.9 Lbs
Center	Fluted
Base	Stepped



100-QT

Specification	Value
Top	Queen
OD (neck)	4"
OD (base)	8"
Height	30"
Sleeve weight	71.9 Lbs
Center	Plain
Base	Tapered



100-QTF

Specification	Value
Top	Queen
OD (neck)	4"
OD (base)	8"
Height	30"
Sleeve weight	71.9 Lbs
Center	Fluted
Base	Tapered



100-RS

Specification	Value
Top	Flat
OD (neck)	4"
OD (base)	8.5"
Height	28"
Sleeve weight	68.5 Lbs
Center	Plain
Base	Stepped



100-RSF

Specification	Value
Top	Flat
OD (neck)	4"
OD (base)	8.5"
Height	28"
Sleeve weight	68.5 Lbs
Center	Fluted
Base	Stepped



100-RT

Specification	Value
Top	Flat
OD (neck)	4"
OD (base)	8"
Height	28"
Sleeve weight	68.5 Lbs
Center	Plain
Base	Tapered



100-RTF

Specification	Value
Top	Flat
OD (neck)	4"
OD (base)	8"
Height	28"
Sleeve weight	68.5 Lbs
Center	Fluted
Base	Tapered




Broadway

Sleek and slender, the cast iron Broadway bollards offer a striking complement to a wide range of landscape designs, measuring 6" in diameter. Logo customization and removable installation options are available.

- **Manufactured by J.R. Hoe in Middlesboro, Kentucky from ASTM A48 Class 30 Cast Iron.**
- **Powder-coated finish offered in 25 standard color options.**
- **Powder-coated chain and eyebolt attachment available.**
- **Typical applications: fulfillment/distribution centers, areas needing limited access, municipal city centers, and more.**

4 Bollard Installation Methods Available:



Iron Base Mount | Pipe Mount | Surface Mount | Removable Twist & Lock Mount




160-GP

Specification	Value
Top	Globe
OD (neck)	6"
OD (base)	6"
Height	41.5"
Sleeve weight	101 Lbs
Center	Plain
Base	Stepped



160-GPF

Specification	Value
Top	Globe
OD (neck)	6"
OD (base)	6"
Height	41.5"
Sleeve weight	104 Lbs
Center	Fluted
Base	Stepped



Bollard Installation

Correct installation of bollards is one of the most important aspects of any streetscape or landscape project where these fixtures are included.

Understanding installation matters because the time, complexity and cost associated with it can vary significantly depending on the product type you've chosen and whether it must serve protective as well as aesthetic purposes.

Visit bollardsusa.com/contact or scan this QR code to contact us for more information on the installation of your bollards.



160-RP

Specification	Value
Top	Flat
OD (neck)	6"
OD (base)	6"
Height	37"
Sleeve weight	94 Lbs
Center	Plain
Base	Stepped



160-RPF

Specification	Value
Top	Flat
OD (neck)	6"
OD (base)	6"
Height	37"
Sleeve weight	97 Lbs
Center	Fluted
Base	Stepped



Momentum

The Momentum bicycle bollards offer a small footprint with optional custom lettering, an opportunity for a one-of-a-kind bicycle parking option. Measuring 3 ½" in pipe diameter with 24" cast iron arm diameter.


- **Manufactured by J.R. Hoe in Middlesboro, Kentucky.**
- **Powder-coated finish offered in 25 standard color options.**
- **Customized length/above-grade height available upon request.**
- **Typical applications: parks, city and municipality centers, entertainment venues, university campuses, corporate campuses, and more.**




225-HP

Specification	Value
OD (neck)	3.5"
OD (base)	24"
Height	42"
Sleeve weight	65.9 Lbs
Material	A36 Mild Steel & ASTM A48 Class 30 Cast Iron

2 Bollard Installation Methods Available:



Bolt Base Mount



Ground Mount






Velocity

The cast iron Velocity bicycle bollards make a beautiful design statement while providing functional bicycle parking. Measuring 6" in diameter with the option of one or two bicycle parking arms. Logo customization is available.

- **Manufactured by J.R. Hoe in Middlesboro, Kentucky from ASTM A48 Class 30 Cast Iron.**
- **Pipe, iron base and surface fixed mounting options available.**
- **Powder-coated finish offered in 25 standard color options.**
- **Powder-coated chain and eyebolt attachment available.**
- **Typical applications: parks, city and municipality centers, and more.**

3 Bollard Installation Methods Available:



Iron Base Mount | Pipe Mount | Surface Mount



160-GB1

Specification	Value
Top	Globe
OD (neck)	6"
OD (base)	6"
Height	41.5"
Sleeve weight	140 Lbs
Center	One-arm
Base	Stepped



160-GB2

Specification	Value
Top	Globe
OD (neck)	6"
OD (base)	6"
Height	41.5"
Sleeve weight	140 Lbs
Center	Two-arm
Base	Stepped

Bollards can make shared spaces safer for everyone. But enhancing safety is rarely the only objective of a streetscape or hardscape construction project. Owners and specifiers must also contend with other requirements that influence their decisions from several directions at once. Consider:

- Maintaining or creating visual appeal is usually a part of a project's scope in addition to any safety improvements.
- Differing products have differing installation requirements that owners and specifiers should be aware of in advance if they want to avoid costly design changes or timeline overruns later.
- Knowing when a removable bollard vs. a permanent bollard is ideal requires a bird's-eye view of all aspects of a project, including its surroundings, intended uses and access requirements.



160-RB1

Specification	Value
Top	Flat
OD (neck)	6"
OD (base)	6"
Height	37"
Sleeve weight	132 Lbs
Center	One-arm
Base	Stepped



160-RB2

Specification	Value
Top	Flat
OD (neck)	6"
OD (base)	6"
Height	37"
Sleeve weight	133.7 Lbs
Center	Two-arm
Base	Stepped





Township

The Township bollard is fit with a square, powder-coated steel base and cast iron top, providing a sleek, light-weight and unique design for any project. Logo customization and multiple installation options are available.


- Manufactured by J.R. Hoe in Middlesboro, Kentucky.
- Powder-coated finish offered in 25 standard color options.
- Custom logo or emblem may be cast into the top surface of bollard.
- Typical applications: areas in need of flex parking, parks, city and municipality centers, school and university campuses, and more.



200-TP

Specification	Value
OD (neck)	4"
OD (base)	5.75"
Height	37"
Sleeve weight	69.9 Lbs
Material	A36 Mild Steel & ASTM A48 Class 30 Cast Iron

4 Bollard Installation Methods Available:



Removable Mount | Bolt Mount | Ground Mount | Pipe Mount



Sentry


The cast iron Sentry bollard offers a unique, high-concept architectural design and installation method. Measuring 6" in diameter with a distinctive recessed grid design.

- Manufactured by J.R. Hoe in Middlesboro, Kentucky.
- Pipe-fixed mounting option with socket screw pin cap available.
- Powder-coated finish offered in 25 standard color options.
- Typical applications: residential and retail development, urban development, municipality centers, entertainment districts, and more.



500-HD

Specification	Value
Top	Dome
OD (neck)	6.5"
OD (base)	6.5"
Height	28"
Sleeve weight	121.5 Lbs
Material	A36 Mild Steel & ASTM A48 Class 30 Cast Iron



Pipe Mount




Derby

The Derby bollard collection is made of high-quality stainless steel, a material that is both extremely durable in the elements and a beautiful finish option for contemporary designs. A multitude of options variable by length, height, installation method, and top style are available.


- **Manufactured by J.R. Hoe in Middlesboro, Kentucky from Type 316 Stainless Steel.**
- **In-ground, pipe sleeve or bolt-down fixed mounting options available.**
- **Customized length/above-grade height available on request.**
- **Typical applications: entertainment and sports venues, school campuses, fulfillment/distribution centers, retail storefronts, and more.**

Item Number	Top	OD	Height	Sleeve Weight
300-SD	Dome	4"	36"-72"	35.2 Lbs
300-SF	Flat	4"	36"-72"	35.4 Lbs
350-SD	Dome	6"	36"-72"	61.7 Lbs
350-SF	Flat	6"	36"-72"	61.2 Lbs
380-SD	Dome	8"	36"-72"	100 Lbs
380-SF	Flat	8"	36"-72"	91.5 Lbs


3 Bollard Installation Methods Available:



Bolt Mount



Ground Mount



Pipe Mount




Bastion

The Bastion bollard collection is made of beautifully finished coated steel, creating a clean, versatile aesthetic suitable for a multitude of outdoor environments. Many options variable by length, height, installation method, and top style are available.


- **Manufactured by J.R. Hoe in Middlesboro, Kentucky from A36 Mild Steel.**
- **In-ground, pipe sleeve or bolt-down fixed mounting options available.**
- **Powder-coated finish offered in 25 standard color options.**
- **Customized length/above-grade height available on request.**
- **Typical applications: entertainment and sports venues, school campuses, fulfillment/ distribution centers, retail storefronts, residential development, and more.**

Item Number	Top	OD	Height	Sleeve Weight
310-SD	Dome	4"	36"-72"	34-40 Lbs
310-SF	Flat	4"	36"-72"	34-41 Lbs
360-SD	Dome	6"	36"-72"	60-71 Lbs
360-SF	Flat	6"	36"-72"	58-69 Lbs
390-SD	Dome	8"	36"-72"	92-106 Lbs
390-SF	Flat	8"	36"-72"	88-102 Lbs


3 Bollard Installation Methods Available:



Bolt Mount



Ground Mount



Pipe Mount



Custom Bollard Tops

Utilizing innovative casting design capabilities, BollardsUSA provides one-of-a-kind branding options featuring your organization's logo or brand messaging. Whether you're defining space in an architectural streetscape or protecting a hardened target, our products bring your vision to life.

- Custom Logos or designs
- Add sophistication to your safety solutions
- Powder-coated finish offered in 25 standard color options.







Ready to add sophistication to your bollards with a custom design? **Talk with one of our experts.**

bollardsusa.com **1-502-554-1178** **Info@bollardsusa.com**



Looking for guidance on specifying the right decorative or protective bollards for your next streetscape project? **Talk with one of our experts.**

bollardsusa.com
1-800-245-5521
Info@bollardsusa.com

Middlesboro Office
101 Ironwood Road
Middlesboro, KY 40965

Louisville Office
13044 Middletown Industrial Blvd
Louisville, KY 40223

BOLLARDSUSA
A DIVISION OF JR HOE

J.R. HOE